

Innovations

Autumn-Winter 2021/2022



Our Autumn–Winter 2021/2022 product innovations



NEW

Kraftform Kompakt Stubby magazine RA 1



Application: Suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1

Design: Ratchet, fine toothing for a low return angle, reversible ring (right, fixed, left); 1/4" hexagonal socket mounting, magnetic; 6 BitTorsion bits for long durability, tough, for universal use. Take it easy tool finder: With size stamping and colour coding by tip to help you find the required bit easily.

Handle: Kraftform Stubby with anti-roll protection, multi-component, integrated magazine

05008883001	
+	851/1 BTZ PH 1x PH 1x25; 1x PH 2x25
+	867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 BTZ
-	800/1 BTZ 1x 0,8x5,5x25

NEW

Kraftform Kompakt Stubby magazine RA 2



05008884001	
+	851/1 BTZ PH 1x PH 1x25; 1x PH 2x25
+	855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25
+	867/1 TORX® 1x TX 25x25 BTZ
-	800/1 BTZ 1x 0,8x5,5x25

NEW

Kraftform Kompakt Stubby magazine RA 3



Application: Suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1

Design: Ratchet, fine toothing for a low return angle, reversible ring (right, fixed, left); 1/4" hexagonal socket mounting, magnetic; 6 bits, tough, for universal use.

Handle: Kraftform Stubby with anti-roll protection, multi-component, integrated magazine

05008885001	
+	851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25
-	800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25

NEW

Kraftform Kompakt Stubby magazine RA 4




05008886001	
+	851/1 Z PH 1x PH 1x25; 1x PH 2x25
○	868/1 Z 1x # 1x25; 1x # 2x25
-	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25

Compact shape



Particularly small bitholding screwdriver with extremely short bit mounting for hard to reach areas.

Handle with integrated bit magazine



The handle can be opened and thus gives access to the six bits contained in the magazine.

Swiveling bit magazine



The swiveling bit magazine allows for the bits to be removed easily in almost any situation and cannot be lost. The bits are safely stored.

Ratchet function




The ratchet mechanism is fine-toothed for a low return angle. The screwdriving directions right/fixed/left can be set with the reversible ring. The magnetic bit mounting is suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1

 **Wera**
Joker



NEW


6003 Joker 22 Set 1 Combination wrench set




Combination wrench set, open-end offset by 7.5°

22-piece set

05020232001	6003 Joker	1x 5,5x105; 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230; 1x 20x230; 1x 21x260; 1x 22x260; 1x 24x280; 1x 27x300; 1x 30x330; 1x 32x360
-------------	-------------------	---




For very tight spaces



The Joker 6003 combination wrench with its special mouth geometry – an open-end offset by 7.5° and the double hexagon profile – doubles the placement possibilities when repeatedly turning the wrench 180° around the longitudinal axis. Bolts and screw heads can be "accessed" every 15°.

The Joker 6003 will automatically find the respective placement point after every turn.

Joker 6003: Angled ring side



The ring side is angled at 15° to the tool axis to prevent injury.



NEW

Wera 2go E 1 Tool set for electricians



- Extensive 73-piece tool set in the compact Wera 2go 2 tool container for electricians in mobile operations
- Premium brand tools by Wera, Jung, KNIPEX®, Lyra®, PICARD®, PUK® and Stabila®
- Wera Kraffform Kompakt Turbo i 1 (16-piece handle/interchangeable blades VDE set) for four times the screwdriving speed and Wera 8100 SA 6 Zyklus Speed ratchet set (1/4", 28-piece set)
- Joker 6004 S self-setting spanner for bolts and screws of 10–13mm (metric) and 7/16"-1/2" (imperial)
- With chiseldriver for screwdriving, chiselling, mortising as well as 4 VDE screwdrivers – 2 of which with stainless steel blade to prevent extraneous rust

05134025001	1x	Wera 2go 2 Tool Container
	1x	8100 SA 6 Zyklus Speed Ratchet Set, 1/4" drive, metric
	1x	950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function
	1x	Kraffform Kompakt Turbo i 1
	1x	932 A Screwdriver for slotted screws 1.2x7.0x125
	1x	3162 i PH VDE Insulated screwdriver for Phillips screws, stainless PH 2x100
	1x	3165 i PZ VDE Insulated screwdriver for Pozidriv screws, stainless PZ 2x100
	1x	160 i VDE Insulated screwdriver for slotted screws 1.2x6.5x150
	1x	160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws 0.6x3.5x100
	1x	6004 Joker S self-setting spanner 10–13 (7/16"-1/2")x154
	1x	KNIPEX® Combination pliers 160mm 01 06 160
	1x	KNIPEX® Diagonal insulation stripper 14 26 160
	1x	KNIPEX® Snipe nose pliers with blade (stork beak pliers) 26 16 200
	1x	KNIPEX® Cobra® VDE Hightech water pump pliers, insulated, 87 26 250
	1x	KNIPEX® Cable knife 98 52
	1x	KNIPEX® ErgoStrip® Universal dismantling tool 16 95 01
	1x	PUK® 2200 Hand saw frame
	1x	Lyra® Construction marker DRY PROFIL 4494202
	1x	STABILA® Spirit level Pocket Electric 17775
	1x	STABILA® Spirit level type 70, 30 cm, 02281
	1x	STABILA® Wooden folding rule type 607, 2 m, yellow, 01104
	1x	PICARD® Fitter's hammer 400 g, German shape, 000101-0400
	1x	Jung Plastering cup 127mm, 946 127 00
	1x	Jung Scraping knife with natural wood handle, 922 050 00

NEW

3167 i/7 TORX® Screwdriver set, stainless steel, plus rack



Kraftform Stainless VDE: The safety screwdriver for stainless steel couplings. Plus rack. With Take it easy tool finder: Colour coding by profile and size stamping.

Application: TORX® socket screws

Design: 7-piece set in a box plus rack

05022767001	
	3167 i TORX® 1x TX 8x80; 1x TX 9x80; 1x TX 10x80; 1x TX 15x80; 1x TX 20x80; 1x TX 25x100; 1x TX 30x100
	VDE

NEW

950/13 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser



13-piece set in a two-component clip

Application: Hexagon socket screws

Design: BlackLaser surface

Tip: Hex-Plus, hexagonal ball tip at the long arm

05021721001	
	950 PKL inch 1x 0.05"x83 ¹⁾ ; 1x 1/16"x91 ¹⁾ ; 1x 5/64"x100; 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x126; 1x 9/64"x132; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212

¹⁾ Regular hexagon



Screw stainless steel together with stainless steel!



Solution to the rust problem: screw stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.



Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

NEW

3950/9 Hex-Plus Multicolour Imperial Stainless 1, imperial, stainless steel



9-piece set, in a two-component clip

Application: Hexagonal socket screws

Design: Stainless steel, thermoplastic sleeve. The correct L-key is always at your fingertips thanks to their colour coding and size stamping.

Tip: Hex-Plus, hexagonal ball tip at the long arm

05022860001	
	3950 SPKL Multicolour Imperial 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224

NEW

781/5 Set 1



Connection parts, 5-piece set

For manual and machine-operated tools (non-impact), with ball stop groove, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish

781 A: 1/4" socket square head drive, for 3/8" and 1/2" square head socket wrench inserts with ball lock; 781 B: 3/8" socket square head drive, for 1/4" and 1/2" square head socket wrench inserts with ball lock; 781 C: 1/2" socket square head drive, for 3/8" square head socket wrench inserts with ball lock.

05042680001	
	781 A 1x 781 A/B, 3/8"x25,2x1/4"; 1x 781 A/C, 1/2"x36,0x1/4"
	781 B 1x 781 B/A, 1/4"x27,0x3/8"; 1x 781 B/C, 1/2"x36,0x3/8"
	781 C 1x 781 C/B, 3/8"x35,5x1/2"
	Belt 781 0/5 1x 45,0x210,0

¹⁾ Available from November 2021

NEW

781 B 3/8" Connection parts



Application: For 1/4" and 1/2" square head socket wrench inserts with ball lock

Design: For manual and machine-operated tools (non-impact), with ball stop groove, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish

Drive: 3/8" socket square head

		Art.No.	mm		
05042672001	¹⁾ 781 B/A	1/4"	27,0	1 1/16"	3/8"
05042673001	781 B/C	1/2"	36,0	1 27/64"	3/8"

¹⁾ Available from November 2021

NEW

781 A 1/4" Connection parts



Application: For 3/8" and 1/2" square head socket wrench inserts with ball lock

Design: For manual and machine-operated tools (non-impact), with ball stop groove, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish

Drive: 1/4" socket square head

		Art.No.	mm		
05042670001	¹⁾ 781 A/B	3/8"	25,2	1"	1/4"
05042671001	¹⁾ 781 A/C	1/2"	36,0	1 27/64"	1/4"

¹⁾ Available from November 2021

NEW

781 C 1/2" Connection parts



Application: For 3/8" square head socket wrench inserts with ball lock

Design: For manual and machine-operated tools (non-impact), with ball stop groove, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish

Drive: 1/2" socket square head

		Art.No.	mm		
05042674001	¹⁾ 781 C/B	3/8"	35,5	1 25/64"	1/2"

¹⁾ Available from November 2021

The Tool-Check in a new design

Even successful products deserve a facelift!



No-frills

Distinctive shape

Clear lines

New tool arrangement
for even easier access

Intuitive hatch mechanism makes it
even easier to open the Tool-Check

Limited Edition – when they're gone, they're gone

NEW

Icebreaker



- Promotional set with 30 Stainless tools for the most common applications
- Completely suitable for industrial use. All Wera Stainless tools are vacuum ice hardened and therefore have the required hardness and strength properties
- With robust ice scraper by the Finnish specialist KUNGS® – in a Tool Rebel glove
- Screwdrivers (TORX® as well as slotted, Phillips-head Phillips and Pozidriv with Lasertip tip for better hold on the screw head), L-keys (Hex-Plus reduces the cylindrical turning of hexagonal socket screws), bits, bit holder and iconic Wera bottle opener
- Also makes a great Christmas present

05134023001	Ice scraper mitten
+	3350 PH 1x PH 1x80; 1x PH 2x100
+	3355 PZ 1x PZ 1x80; 1x PZ 2x100
+	3367 TX 1x TX 15x80; 1x TX 20x100; 1x TX 25x100
+	3335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
+	3160 i VDE 1x 0,6x3,5x100
+	3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224
+	3888/4/1 K 1x 1/4"x50
+	3851/1 TS PH 1x PH 2x25
+	3855/1 TS PZ 1x PZ 1x25; 2x PZ 2x25
+	3867/1 TS 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25
+	1496 1x 145
	Bottle opener

¹⁾ without Lasertip
²⁾ Available from 1 October 2021



Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Screw stainless steel together with stainless steel!



Solution to the rust problem: screw stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

Tool Rebel mitten with ice scraper



With the KUNGS® ice scraper on the Tool Rebel glove, ice is removed effectively without damaging the surface. The glove keeps your hands warm even in sub-zero temperatures.

Convenient



With Wera Bottle opener.

The Campaign is valid from
1st September 2021 to 28th February 2022.
No liability for printing errors or mistakes
shall be assumed.



Wera Werkzeuge GmbH
Korzelter Straße 21-25
D-42349 Wuppertal

Phone: +49 (0)2 02 / 40 45-0
Fax: +49 (0)2 02 / 40 45 276
E-Mail: info@wera.de
www.wera.de

Wera Tools (UK) LTD.
Railway View
Clay Cross
Chesterfield
Derbyshire, S45 9FR

Phone: +44 (0)1246 / 277756
eMail: queries@wera-tools.co.uk
Internet: www.wera-tools.co.uk

